



Microbial Laboratory Report

Client Information:

- **Client Name:** Glacier Aminos
- **Contact Information:** glacieraminos@gmail.com

Sample Information:

- **Sample ID:** SS-31 10mg Blue Flip Off Cap / Batch# SS1082501
- **Sample Type:** 3mL Lyophilized Vial
- **Date Received:** 09/17/2025
- **Date Read:** 09/21/2025

Testing Parameters:

1. Bacterial Testing

- **Method:** Plate Count
- **Results:** <10 CFU/100mL
- **Comments:** 0 colony forming units (CFU) were detectable on 09/21/2025.

2. Fungal Testing

- **Method:** Plate Count, Microscopy
- **Results:** <10 CFU/100 mL
- **Comments:** 1 colony forming units (CFU) were detectable on 09/21/2025.

3. Endotoxin Testing

- **Method:** LAL Assay, Gel Clot Method
- **Results:** <0.25 EU per mL
- **Comments:** <0.00 EU per mL identified on 09/21/2025.

Summary of Findings:

- **Bacterial Contamination:** Bacterial levels within acceptable limits
- **Fungal Contamination:** Fungal levels within acceptable limits
- **Endotoxin Levels:** Endotoxin levels within acceptable limits

Lab Analyst Information:

- **Analyst Name:** Dane Fredericksen
- **Analyst Signature:** 
- **Date:** 09/21/2025

Verify Lab results by contacting support@foreveryoungpharmacy.com

